

*The network path was not found*

Exception Details: System.ComponentModel.Win32Exception: The network path was not found

An unhandled exception was generated during the execution of the current web request. Information regarding the origin and location of the exception can be identified using the exception stack trace below.

```
[Win32Exception (0x80004005): The network path wasnot found]

[SqlException (0x80131904): A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server is not found or the login name and password are incorrect. (Microsoft SQL Server, Error: 13, Severity: 14, State: 1)]
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, bool allowUserImpersonation, Boolean onlyOpenForRead, Boolean retry, Boolean useConnectionPool, DbConnection owningConnection, out DbConnection internalConnection, Boolean connectionOptionsSet, Boolean openFailuresHigh, Boolean activateRetry) +126
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, TaskCompletionSource`1 timeout, bool allowUserImpersonation, Boolean onlyOpenForRead, Boolean retry, Boolean useConnectionPool, DbConnection owningConnection, out DbConnection internalConnection, Boolean connectionOptionsSet, Boolean openFailuresHigh, Boolean activateRetry) +126
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection owningConnection, TaskCompletionSource`1 timeout, bool allowUserImpersonation, Boolean onlyOpenForRead, Boolean retry, Boolean useConnectionPool, DbConnection owningObject, out DbConnection internalConnection, Boolean connectionOptionsSet, Boolean openFailuresHigh, Boolean activateRetry) +126
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(DbConnection outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 timeout, bool allowUserImpersonation, Boolean onlyOpenForRead, Boolean retry, Boolean useConnectionPool, DbConnection owningObject, out DbConnection internalConnection, Boolean connectionOptionsSet, Boolean openFailuresHigh, Boolean activateRetry) +126
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnection outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 timeout, bool allowUserImpersonation, Boolean onlyOpenForRead, Boolean retry, Boolean useConnectionPool, DbConnection owningObject, out DbConnection internalConnection, Boolean connectionOptionsSet, Boolean openFailuresHigh, Boolean activateRetry) +126
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1 retry) +136
System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1 retry) +448
System.Data.SqlClient.SqlConnection.Open() +588
OCNet.Framework.Data.SqlHelperParameterCache.DiscoverSpParameterSet(String connectionString, String spName, Object[] parameters, Boolean ignoreParameterNames) +126
OCNet.Framework.Data.SqlHelperParameterCache.GetSpParameterSet(String connectionString, String spName, Object[] parameters, Boolean ignoreParameterNames) +126
OCNet.Framework.Data.SqlHelperParameterCache.GetSpParameterSet(String connectionString, String spName, Object[] parameters, Boolean ignoreParameterNames) +126
OCNet.Framework.Data.SqlHelper.ExecuteDataset(String connectionString, String spName, Object[] parameters, Boolean ignoreParameterNames) +126
pdf.GenerateProductSheet.Initialize() in C:\Users\chuk\My Projects\Productsummarypdfviewer\GeneratProductSheet.cs:line 12
pdf.GenerateProductSheet.Page_Load(Object sender, EventArgs e) in C:\Users\chuk\My Projects\Productsummarypdfviewer\GeneratProductSheet.cs:line 21
System.Web.Util.CalliEventHandlerDelegateProxy.Callback(Object sender, EventArgs e) +85
System.Web.UI.Control.OnLoad(EventArgs e) +79
System.Web.UI.Control.LoadRecursive() +97
System.Web.UI.Page.ProcessRequestMain(Boolean includeStagesBeforeAsyncPoint, Boolean includeStagesAfterAsyncPoint) +549
```